

## DBI/Sala Fall Protection and Confined Space Equipment



**1100302**

ExoFit™ Derrick Harness with built-in padding, derrick belt, back D-ring extension, body belt and seat sling



**1100532**

ExoFit™ harness, iron-worker style with back D-ring and reinforced leg and seat straps for added durability, sewn-in back pad and belt with side D-rings, quick-connect buckles, size large. It's designed from the ground up for maximum comfort and performance



**1107975**

ExoFit™ harness, the first of a new generation of harness designed from the ground up for maximum comfort and performance. Back D-ring, quick-connect buckles, size small.




**1108500**

ExoFit™ harness, construction style with back D-rings, sewn-in back pad and belt with side D-rings, quick-connect buckles, size small (med & large available). It's designed from the ground up for maximum comfort and performance.



**1108525**

ExoFit™ harness, front and back D-rings, quick-connect buckles, size small (med & large available). It's designed from the ground up for maximum comfort and performance.



**1108575**

ExoFit™ harness, back and side D-rings, quick-connect buckles, size small (med & large available). It's designed from the ground up for maximum comfort and performance.

## DBI/Sala

# Fall Protection and Confined Space Equipment



**1108600**

ExoFit™ harness, front, back and side D-rings, quick-connect buckles, size small (med & large available). It's designed from the ground up for maximum comfort and performance.



**1108650**

ExoFit™ Tower Climbing Harness with front and back D-rings, sewn-in back pad and belt with side D-rings, seat sling with suspension D-rings, quick-connect buckles, size small (med & large available). It's designed from the ground up for maximum comfort and performance.



**1108675**

ExoFit™ harness, cross-over style with front and back D-rings, quick-connect buckles, size small (med & large available). It's designed from the ground up for maximum comfort and performance.



**1108700**

ExoFit™ harness, cross-over style with front, back and side D-rings, quick-connect buckles, size small (med & large available). It's designed from the ground up for maximum comfort and performance.



**1108752**

ExoFit™ harness, shoulder and back D-rings, quick-connect buckles, size medium (small, large and XL available). It's designed from the ground up for maximum comfort and performance.



**1100532**

ExoFit™ harness, iron-worker style with back D-ring and reinforced leg and seat straps for added durability, sewn-in back pad and belt with side D-rings, quick-connect buckles, size large. It's designed from the ground up for maximum comfort and performance.



**1101643**

Delta™ II construction vest style harness with body belt, back and side D-rings.

## DBI/Sala

# Fall Protection and Confined Space Equipment



**1101655**

Delta™ II construction vest style harness with sewn-in back and shoulder pads, body belt, back and side D-rings.



**1101811**

Delta™ II construction cross-over style harness with body belt, back, front and side D-rings.



**1102000**

Delta™ II Harness with back D-ring and tongue buckle leg straps.



**1102001**

Delta II™ Vest style harness with back D-ring and parachute buckle leg straps.



**1102008**

Delta™ II Harness with back and side D-rings and tongue buckle leg straps.



**1102009**

Delta™ II Harness with back and side D-rings and parachute buckle leg straps.

## DBI/Sala Fall Protection and Confined Space Equipment



**110325**

Delta™ II Harness with back and side D-rings, loops for body belt and tongue buckle leg straps.



**1103270**

Delta™ II full body harness featuring a patented cross-over style design with back, front and side D-rings.



**1103321**

Delta™ II Harness with back D-ring and pass-thru buckle leg straps.



**1103510**

Delta™ II full body harness featuring a patented cross-over style design with back, front and side D-rings and loops for body belt.



**1103512**

Delta™ II Harness with back and side D-rings, pass-thru buckle leg straps and loops for body belt.



**1103513**

Delta™ II Harness with back D-ring, pass-thru buckle leg straps and loops for body belt.

## DBI/Sala Fall Protection and Confined Space Equipment



**1105475**

Delta™ II Vest style harness with Nomex®/Kevlar® webbing, PVC coated hardware and back D-ring.



**1106450**

Delta™ II Iron Worker vest style harness with body belt, pad and support straps, accessory clips, shoulder pads and wear layer webbing on seat sling.



**1107404**

Delta™ II High Visibility / Reflective Delta No-Tangle WorkVest and Harness with back D-ring and tongue buckle leg straps



**1107454**

Delta™ II High Visibility / Reflective Delta No-Tangle WorkVest and Harness with back D-ring and pass-thru buckle leg straps



**1107801**

Delta™ II construction harness with front, back and side D-rings, body belt and pad, tongue buckle leg straps



**1107975**

ExoFit™ harness, the first of a new generation of harness designed from the ground up for maximum comfort and performance. Back D-ring, quick-connect buckles, size small.



**1108500**

ExoFit™ harness, construction style with back D-rings, sewn-in back pad and belt with side D-rings, quick-connect buckles, size small (med & large available). It's designed from the ground up for maximum comfort and performance.

## DBI/Sala Fall Protection and Confined Space Equipment



**1108600**

ExoFit™ harness, front, back and side D-rings, quick-connect buckles, size small (med & large available). It's designed from the ground up for maximum comfort and performance.



**1108700**

ExoFit™ harness, cross-over style with front, back and side D-rings, quick-connect buckles, size small (med & large available). It's designed from the ground up for maximum comfort and performance.



**1110102**

ExoFit XP™ Harness, maximum comfort and performance. Removable and washable padding, stand-up back D-Ring with impact indicator, quick-connect buckles, size Large.



**1110577**

Delta™ II construction harness with stand-up back D-ring, tongue buckle body belt with side D-rings and sewn-in back pad, quick-connect leg and chest buckles.



**1110600**

Delta™ II harness with stand-up back D-ring and quick-connect leg and chest buckles.



**1110625**

Delta™ II harness with stand-up back D-ring, side D-rings and quick-connect leg and chest buckles.



**1101254**

Delta™ II Vest style harness with back and shoulder D-rings, tongue buckle leg straps.

## **DBI/Sala**

# **Fall Protection and Confined Space Equipment**



**1101259**

Delta™ II vest style Harness with dorsal web loop instead of D-ring.



**1101643**

Delta™ II construction vest style harness with body belt, back and side D-rings.



**1101655**

Delta™ II construction vest style harness with sewn-in back and shoulder pads, body belt, back and side D-rings.



**1102000**

Delta™ II Harness with back D-ring and tongue buckle leg straps.



**1102001**

Delta II™ Vest style harness with back D-ring and parachute buckle leg straps.



**1102008**

Delta™ II Harness with back and side D-rings and tongue buckle leg straps.

## DBI/Sala

# Fall Protection and Confined Space Equipment



**1102009**

Delta™ II Harness with back and side D-rings and parachute buckle leg straps.



**1102010**

Delta™ II full body harness featuring a patented cross-over style design with back and front D-rings.



**1102025**

Delta™ II Harness with back and side D-rings, loops for body belt and tongue buckle leg straps.



**1102877**

Delta™ II full body harness featuring a step-in style design with back, front and side D-rings.



**1102950**

Delta™ II full body harness featuring a patented cross-over style design with back and front D-rings.



**1103270**

Delta™ II full body harness featuring a patented cross-over style design with back, front and side D-rings.



**1103321**

Delta™ II Harness with back D-ring and pass-thru buckle leg straps.

## **DBI/Sala**

# **Fall Protection and Confined Space Equipment**



**1103510**

Delta™ II full body harness featuring a patented cross-over style design with back, front and side D-rings and loops for body belt.



**1103512**

Delta™ II Harness with back and side D-rings, pass-thru buckle leg straps and loops for body belt.



**1104725**

Delta™ II vest style Harness with back D-ring and PVC coated hardware.



**1104730**

Delta™ II vest style Harness with dorsal web loop and PVC coated hardware.



**1105475**

Delta™ II Vest style harness with Nomex®/Kevlar® webbing, PVC coated hardware and back D-ring.



**1106201**

Delta™ II harness with Reflective webbing, back D-ring and tongue buckle leg straps

## DBI/Sala Fall Protection and Confined Space Equipment



**1106450**

Delta™ II Iron Worker vest style harness with body belt, pad and support straps, accessory clips, shoulder pads and wear layer webbing on seat sling.



**1107401**

Delta™ II WorkVest and Harness with back D-ring and tongue buckle leg straps



**1107451**

Delta™ II WorkVest and Harness with back D-ring and pass-thru buckle leg straps



**1107800**

Delta™ II harness with front and back D-rings and tongue-buckle leg straps



**1107801**

Delta™ II construction harness with front, back and side D-rings, body belt and pad, tongue buckle leg straps



**1107975**

ExoFit™ harness, the first of a new generation of harness designed from the ground up for maximum comfort and performance. Back D-ring, quick-connect buckles, size small.



**1108525**

ExoFit™ harness, front and back D-rings, quick-connect buckles, size small (med & large available). It's designed from the ground up for maximum comfort and performance.

## DBI/Sala Fall Protection and Confined Space Equipment



**1108600**

ExoFit™ harness, front, back and side D-rings, quick-connect buckles, size small (med & large available). It's designed from the ground up for maximum comfort and performance.



**1108700**

ExoFit™ harness, cross-over style with front, back and side D-rings, quick-connect buckles, size small (med & large available). It's designed from the ground up for maximum comfort and performance.



**1108752**

ExoFit™ harness, shoulder and back D-rings, quick-connect buckles, size medium (small, large and XL available). It's designed from the ground up for maximum comfort and performance.



**1110102**

ExoFit XP™ Harness, maximum comfort and performance. Removable and washable padding, stand-up back D-Ring with impact indicator, quick-connect buckles, size Large.



**1110577**

Delta™ II construction harness with stand-up back D-ring, tongue buckle body belt with side D-rings and sewn-in back pad, quick-connect leg and chest buckles.



**1110600**

Delta™ II harness with stand-up back D-ring and quick-connect leg and chest buckles.

## DBI/Sala Fall Protection and Confined Space Equipment



**1110625**

Delta™ II harness with stand-up back D-ring, side D-rings and quick-connect leg and chest buckles.



**1101254**

Delta™ II Vest style harness with back and shoulder D-rings, tongue buckle leg straps.



**1108752**

ExoFit™ harness, shoulder and back D-rings, quick-connect buckles, size medium (small, large and XL available). It's designed from the ground up for maximum comfort and performance.



**1001210**

Rescue Wristlets attached to Y-lanyard for rescue/retrieval applications.



**1201460**

Rescue Y-Lanyard, with self locking snap hooks at each end and a D-ring in the center, complete with spreader bar, 2 ft. in length.



**3400115**

Sealed self retracting lifeline with retrieval winch for raising and lowering load during emergencies, complete with quick-mount bracket, 50 ft. length (85 and 130 ft. lengths available).



**3403402**

50 ft. Sealed self retracting lifeline with retrieval winch for raising/lowering load during emergencies (85 and 130 ft. models available).



**3600000**

Simple, extremely reliable rescue or positioning system to raise and/or lower yourself or someone else, providing a stable way to reach a working level.

## DBI/Sala Fall Protection and Confined Space Equipment



**6116038 & 6116027** Removable ladder mast and mounting bracket provides fall arrest/retrieval in manholes, tanks, vaults, and attaches to fixed ladders



**8000000**

7 ft. Aluminum Tripod is lightweight and portable but very durable and can withstand up to 5,000 lbs. of vertical pull.



**8000010**

9 ft. Aluminum Tripod is lightweight and portable but very durable and can withstand up to 5,000 lbs. of vertical pull.



**8000500**

Modular Davit Arm and Base System designed for manhole and confined space entry/ retrieval applications. The design allows use of components in various configurations and applications. Multiple winches and/or lifeline systems may be mounted as required. Tool-less design breaks the system into lightweight, manageable components for storage, transport and setup.



**8003205**

Accessory pulley assembly for tripod, routes the back-up winch or SRL cable.



**8003238**

Accessory pulley assembly for tripod, routes the back-up winch or SRL cable.



**8004176**

Bolt the wallmount bracket to a wall or surface near the confined space area as an anchorage for the mechanical device.



**8005048**

Accessory tripod mounting base mates with quick-connect bracket on back-up or secondary winch/SRL.

## DBI/Sala Fall Protection and Confined Space Equipment



**8101000**

Salalift® Winch for rescue and work support applications, 60 ft. in length (120 ft. available).



**8102001**

Lightweight Salalift® II Winch for rescue and work support, 60, 90 and 120 ft. lengths available.



**8103000**

Basic material work winch for raising and lowering of materials only.



**8300030**

Portable confined space entry system complete with Salalift II winch and lightweight 7 ft. aluminum tripod.



**8302050**

Davit Arm and Base System designed for manhole and confined space entry/ retrieval applications.



**8304000**

Complete confined space system includes tripod, Salalift® winch and back-up or secondary sealed self retracting lifeline.



**3000057**

Heavy duty cast aluminum self retracting lifeline with 20 ft. galvanized steel cable(39 ft. model available).



**3000150**

Heavy duty cast aluminum self retracting lifeline with 39 ft. galvanized steel cable (20 ft. model available).

## DBI/Sala Fall Protection and Confined Space Equipment



**3400006**

Sealed Self Retracting Lifeline, 50 ft. of 3/16" stainless steel wire rope, stainless steel self-locking swivel snap hook. Also available in 85' and 130'.



**3400115**

Sealed self retracting lifeline with retrieval winch for raising and lowering load during emergencies, complete with quick-mount bracket, 50 ft. length (85 and 130 ft. lengths available).



**3403400**

Sealed Self-Retracting Lifeline of 50 ft. of 3/16" galvanized steel wire rope, self locking swivel snap hook. Also available in 85 ft. and 130 ft.



**3403402**

50 ft. Sealed self retracting lifeline with retrieval winch for raising/lowering load during emergencies (85 and 130 ft. models available).



**3403500**

Sealed Self-Retracting Lifeline of 85 ft. of 3/16" galvanized steel wire rope, self locking swivel snap hook. Also available in 50 ft. and 130 ft.



**3403600**

Sealed Self-Retracting Lifeline of 130 ft. of 3/16" galvanized steel wire rope, self locking swivel snap hook. Also available in 85 ft. and 50 ft.



**3504400**

30 ft. Aerospace self retracting lifeline contains no zinc, cadmium or tin preventing contamination of flight hardware

## DBI/Sala Fall Protection and Confined Space Equipment



**3504430**

Ultra-Lok® Self-Retracting Lifeline of 30 ft. of 3/16" galvanized steel wire rope, self locking swivel snap hook. Also available in 20 and 50 ft. lengths.



**3504433**

Ultra-Lok® Self-Retracting Lifeline of 20 ft. of 3/16" galvanized steel wire rope, self locking swivel snap hook. Also available in 30 ft. length (L4430C-30) and 50 ft. length (4450C-50).



**3504450**

Ultra-Lok® Self-Retracting Lifeline of 50 ft. of 3/16" galvanized steel wire rope, self locking swivel snap hook. Also available in 20 and 30 ft. lengths.



**3504485**

Ultra-Lok® Self-Retracting Lifeline with 85 ft. of 3/16" galvanized steel wire rope, cast aluminum housing and self locking swivel snap hook.



**3504500**

30 ft. Ultra-Lok® self retracting lifeline developed for the abusive leading edge environment incorporating over-sized cable and an external energy absorber



**3504600**

55 ft. Ultra-Lok® self retracting lifeline developed for the abusive leading edge environment incorporating over-sized cable and an external energy absorber

## DBI/Sala Fall Protection and Confined Space Equipment



**3506000**

Compact but rugged 11 ft. cable self retracting lifeline with aluminum housing and swiveling snap hook



**3511063**

Climb assist system with external counterweight aids workers and provides fall protection while climbing lengthy ladders and towers.



**3101001**

Talon® compact 8' SRL with swiveling snap hook and quick-connect handle



**3101009**

Talon® compact 8 ft. self retracting lifeline with swiveling snap hook and cab mount attachment handle



**3101051**

Talon® compact 16 ft. SRL with swiveling snap hook and anchorage loop



**3103031**

11 ft. web self retracting lifeline with aluminum housing and swiveling snap hook



**3103108**

Ultra-Lok® Self-Retracting Lifeline, 11 ft. of 1" nylon web lifeline, self locking swivel snap hook. Also available in 20 ft. length.

## DBI/Sala Fall Protection and Confined Space Equipment



**3103120**

The web self retracting lifeline and cab-mount bracket combine to protect you from fall hazards in order pickers.



**3103208**

Ultra-Lok® Self-Retracting Lifeline, 20 ft. of 1" nylon web lifeline, self-locking swivel snap hook. Also available in 11 ft. length.



**3400006**

Sealed Self Retracting Lifeline, 50 ft. of 3/16" stainless steel wire rope, stainless steel self-locking swivel snap hook. Also available in 85' and 130'.



**3400115**

Sealed self retracting lifeline with retrieval winch for raising and lowering load during emergencies, complete with quick-mount bracket, 50 ft. length (85 and 130 ft. lengths available).



**3403400**

Sealed Self-Retracting Lifeline of 50 ft. of 3/16" galvanized steel wire rope, self locking swivel snap hook. Also available in 85 ft. and 130 ft.



**3403402**

50 ft. Sealed self retracting lifeline with retrieval winch for raising/lowering load during emergencies (85 and 130 ft. models available).



**3403500**

Sealed Self-Retracting Lifeline of 85 ft. of 3/16" galvanized steel wire rope, self locking swivel snap hook. Also available in 50 ft. and 130 ft.

## DBI/Sala Fall Protection and Confined Space Equipment



**3403600**

Sealed Self-Retracting Lifeline of 130 ft. of 3/16" galvanized steel wire rope, self locking swivel snap hook. Also available in 85 ft. and 50 ft.



**1220006**

EZ Stop® II Shock absorbing lanyard with 1-inch polyester web and self locking snap hooks at each end, 6 ft. in length.



**1220007**

EZ Stop® II Shock absorbing lanyard with 1-inch polyester web and self locking snap hooks at each end, 3 ft. in length.



**1220068**

EZ-Stop® II Shock absorbing lanyard with web loop at one end, snap hook at other, 1-inch polyester web, 6 ft. in length.



**1220145**

EZ Stop® II Shock absorbing lanyard with 1-inch polyester web and self locking snap hook at one end and girder grip at other end, 5 ft. in length.



**1220406**

EZ Stop® II 100% Tie-Off Shock Absorbing Lanyard with 1" polyester web and self locking snap hooks at each end, 6 ft. in length.



**1220416**

EZ Stop® II 100% Tie-Off Shock Absorbing Lanyard with 1" polyester web, self locking snap hook at center and aluminum hooks at leg ends, 6 ft. in length.



**1220558**

EZ Stop® II Shock absorbing lanyard with 1-3/4" Kevlar® web and self locking snap hooks at each end, 6 ft. in length.

## DBI/Sala

# Fall Protection and Confined Space Equipment



**1220706**

EZ Stop® II Shock absorbing lanyard with 7/32" vinyl covered cable and self locking snap hooks at each end, 6 ft. in length.



**1220850**

EZ-Stop® II Shock Absorbing Lanyard featuring RESIST technology (polyurethane coated web) providing superior protection against grease, oil, dirt and grime - 1-inch polyester web and self locking snap hooks at each end, 6 ft. in length



**1220880**

EZ-Stop® II 100% Tie-Off Tie-Back Shock Absorbing Lanyard featuring RESIST technology (polyurethane coated web) providing superior protection against grease, oil, dirt and grime - 1-inch polyester web and self locking snap hooks at each end, 6 ft. in length.



**1221106**

EZ STOP® II Tie-Back Shock Absorbing Lanyard, self-locking snap hooks at both ends and floating D-ring allowing lanyard to be chocked off, 6 ft. in length.



**1221206**

EZ STOP® II 100% Tie-Off Tie-Back Shock Absorbing Lanyard, self-locking snap hooks and floating D-rings allow lanyard to be chocked off to itself, 6 ft. in length.



**1221460**

EZ Stop® Retrax™ shock absorbing lanyard retracts and expands from 2-1/2 to 6 feet, it stays close to the body, reducing trip falls, dragging and snagging.



**1221463**

EZ-Stop® Retrax™ Shock absorbing lanyard expands and contracts from 2-1/2 to 6 feet, it stays close to the body, reducing trip falls, dragging and snagging, with web loop at one end, snap hook at other

## DBI/Sala

# Fall Protection and Confined Space Equipment



**1221480**

EZ Stop® Retrax™ 100% tie-off shock absorbing lanyard retracts and expands from 2-1/2 to 6 feet, it stays close to the body, reducing trip falls, dragging and snagging.



**1224006**

EZ Stop® III Shock Absorbing Lanyard with 1-3/8" tubular web and self locking snap hooks at each end, 6 ft. in length.



**1224103**

EZ Stop® III Web Loop Shock Absorbing Lanyard with 1-3/8" tubular web and self locking snap hook at one end and web loop at other end, 6 ft. in length.



**1222101**

WrapBax™ Shock Absorbing Lanyard with Force2™ shock absorber for tying off at your feet, specifically designed for tie-back use and incorporates a one-handed pistol grip design, 5,000 lb. capacity from any angle including the gate, and heavy-duty abrasion resistant webbing, 6 ft. in length.



**1225006**

Force2™ Shock Absorbing Lanyard can take a 12 ft. free fall when you must tie-off at your feet.



**1224306**

ShockWave2™ Shock Absorbing Lanyard expands and contracts, with self locking snap hooks at both ends, 6 ft. in length.



**1224310**

ShockWave2™ Shock absorbing lanyard expands and contracts with web loop at one end, snap hook at other, 6 ft. in length

## DBI/Sala

# Fall Protection and Confined Space Equipment



**1224406**

ShockWave2™ 100% Tie-Off Shock Absorbing Lanyard expands and contracts, with self locking snap hooks at center and at leg ends, 6 ft. in length.



**1224409**

ShockWave2™ 100% Tie-Off Shock Absorbing Lanyard expands and contracts, with self locking snap hooks at center and aluminum hooks at leg ends, 6 ft. in length.



**1224412**

ShockWave2™ 100% Tie-Off Shock Absorbing Lanyard expands and contracts, with self locking snap hooks at center and flat steel hooks at leg ends, 6 ft. in length.



**1202754**

Rope Lifeline Assembly for Lad-Saf® rope grabs, polyester/polypropylene blend with hook at one end, 30 ft. long (other lengths available).



**1202790**

Rope Lifeline Assembly for Lad-Saf® rope grabs, polyester/polypropylene blend with self locking hook at both ends, 50 ft. long (other lengths available).



**1203000**

50 ft. polyester/polypropylene blend rope lifeline with snap hook at one end, and counterweight



**1224005**

Rope Adjuster with permanently attached EZ Stop® III shock absorbing lanyard.

## DBI/Sala Fall Protection and Confined Space Equipment



**5000335**

Hands-free mobile rope grab automatically follows you, revolutionary design is less sensitive to rope variations, for use on 5/8" rope.



**5000338**

Lad-Saf® static wire rope grab fits 3/8" diameter 7x19 galvanized or stainless steel cable.



**5000400**

Rope Grab System complete with rope grab, 50 ft. lifeline, counterweight, shock absorbing lanyard, and tie-off adaptor.



**5001441**

Lad-Saf® Rope Grabs are mobile automatically following you and incorporate an energy absorbing design, for use on 5/8" rope.



**5001442**

Lad-Saf® Rope Grabs are mobile automatically following you and incorporate an energy absorbing design, for use on 3/4" rope.



**5003050**

Rope Grab System complete with 1441 rope grab, 1364D50 lifeline, 1583 counterweight, 3300DP3 shock absorbing lanyard, and a 967 tie-off adaptor.



**9503110**

Storage box for rope