



Uni-Safe- Just One Absorbent for Most All Chemicals

Uni-Safe immediately gels solvents, fuels, poisons, formaldehyde, acids, bases, oxidizers, drugs, and even some reactives. It also helps to reduce fuming of the liquid.



Uni-Safe -Safe and Effective

Uni-Safe does not create a dangerous reaction, so it can be used safely with most chemicals, even if a chemical is unknown at a spill. Typical absorption is: one pound of Uni-Safe will absorb 1.5 l of concentrated nitric acid, 1.0 l of acetonitrile, 2.0 l of sodium hydroxide. Available in 1#, 4# and 10# containers.



Seal N Contain

Use the Seal N Contain to seal off catch basins and drains. Just lay it down over the drain and pour in water to immediately seal off the drain. Use it under vehicles and trucks to catch oil and fuel leaks. Use it under pipes and valves during maintenance. Folds into a compact 12" x 12" x 3" for easy storage. Will seal a typical catch basin 19" x 25"



JAECO Fire & Safety

Phone: 650-964-6050 – Fax: 650-964-6101 – email: info@jaecosafe.com



Recycle - Aerosol Cans

Use the 3D Machine to change aerosol cans from a hazardous waste to a non-hazardous recyclable item. Safely puncture, depressurize and drain the aerosol can so it is legally empty. The 3D Machine comes complete with Beryllium copper blade, Activated charcoal filter, Ground wire, gloves and goggles. Low cost replacement activated charcoal and filters are available.



JAECO Fire & Safety

Phone: 650-964-6050 – Fax: 650-964-6101 – email: info@jaecosafe.com



Spill Control

Plug N Dike seals off fuels, solvents and many other chemicals. Plug N Dike seals immediately and sticks to dirty, crumpled surfaces even with the fluid flowing out. No surface preparation is required. It will plug up to 3 feet of head.

Plug Dike Patch

Plug N Dike is a nontoxic, nonflammable blend of high absorption polymers in a blended bentonite base that forms an immediate seal. It has been used for over 18 years by fire departments, transportation companies and industrial operations.

Plug The Leak

Take a handful and apply it directly to the area leaking. These are ideal for including with spill response kits. This amount is usually sufficient for a gas or diesel tank leak. The containers shown are P-2, (10 oz) and 1-PMP (1-lb).



Plug Larger Leaks

For areas that have potential for larger leaks, the 4-PMP (4-lb) and 8-PMP (10-lb) containers are recommended.





Dike or Plug the Spill

Pour out a dike of the dry, granular Plug N Dike and spray the surface with water. It immediately contains the spill and protects adjacent areas. The dry Plug N Dike can also be mixed with water to form a paste to plug leaks. Available sizes: 48P (48#/5-gal pail) or 10P (10#/1-gal jar).



Keep Equipment in Operation

This Leak Lock Kit, LL15, contains both the Plug N Dike and quick-cure epoxy. The Plug N Dike stops the leak. Then the epoxy is placed over the Plug N Dike Patch, so it can cure and form a stronger temporary repair.



Seal off Drains

Plug Rugs will seal even if the surface is dirty and rough. Just lay it over drains, storm sewer inlets or in front of curb culverts to seal off and prevent the spill from entering. Available sizes are 24R (24"x16"), 16R (16"x16") and 8R (8"x8").





For Larger or Odd Size Drains

This is a 3-ft x 3-ft polyethylene mat with Plug N Dike edge seals. It seals off rough surfaces, even if wet and dirty. After use, clean off the mat for reuse with new edge sealants. Custom sizes are available.



Multiple Chemicals- No Problem

This acrylic polymer will absorb just about all chemicals (strong acids, oxidizers, solvents, bodily fluids). It does not create any dangerous reactions. Ideal for hospitals and labs. Available sizes: UNI-1 (1# jar), UNI-4 (4#/1-gal jar), UNI-10 (10#/2-gal pail).



Train Your Employees and Meet The Regulations

This simple, fill-in-the-blanks format provides a quick way to train employees in spill response. A written spill plan and training is required even if you only have a small amount of hazardous materials on site.

